



# Replaces John Deere 2700 E-Cut Riding Greens Mower Parts

Cutting Unit  
Reel & Bedknife



All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 2700 E-Cut Riding Greens Mower Parts

Cutting Unit  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

## R&R Reels, Lifetime Guaranteed

|   |           |          |                |   |  |
|---|-----------|----------|----------------|---|--|
| 1 | RTCA19350 | TCA19350 | Reel - 7 Blade | 1 |  |
|---|-----------|----------|----------------|---|--|

*Detail Description: R&R Reel blades are expertly crafted from premium high carbon-boron alloy steel, heat-treated to perfectly complement both R&R and OEM bedknives. Each reel undergoes precision cylindrical grinding on bearing surfaces, followed by relief grinding for optimal performance. Advanced computer balancing ensures extended reel and bearing life. Backed by our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R Reels deliver unmatched durability and cutting precision you can trust.:*

|   |         |  |                                      |   |  |
|---|---------|--|--------------------------------------|---|--|
| 1 | R130239 |  | Reel - 9 Blade with Internal Splines | 1 |  |
|---|---------|--|--------------------------------------|---|--|

*Detail Description: R&R Reel blades are expertly crafted from premium high carbon-boron alloy steel, heat-treated to perfectly complement both R&R and OEM bedknives. Each reel undergoes precision cylindrical grinding on bearing surfaces, followed by relief grinding for optimal performance. Advanced computer balancing ensures extended reel and bearing life. Backed by our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R Reels deliver unmatched durability and cutting precision you can trust.:*

|   |           |          |                 |   |  |
|---|-----------|----------|-----------------|---|--|
| 1 | RTCA19351 | TCA19351 | Reel - 11 Blade | 1 |  |
|---|-----------|----------|-----------------|---|--|

*Detail Description: R&R Reel blades are expertly crafted from premium high carbon-boron alloy steel, heat-treated to perfectly complement both R&R and OEM bedknives. Each reel undergoes precision cylindrical grinding on bearing surfaces, followed by relief grinding for optimal performance. Advanced computer balancing ensures extended reel and bearing life. Backed by our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R Reels deliver unmatched durability and cutting precision you can trust.:*

|   |         |          |                 |   |  |
|---|---------|----------|-----------------|---|--|
| 1 | R130250 | TCA23621 | Reel - 14 Blade | 1 |  |
|---|---------|----------|-----------------|---|--|

*Detail Description: R&R Reel blades are expertly crafted from premium high carbon-boron alloy steel, heat-treated to perfectly complement both R&R and OEM bedknives. Each reel undergoes precision cylindrical grinding on bearing surfaces, followed by relief grinding for optimal performance. Advanced computer balancing ensures extended reel and bearing life. Backed by our lifetime guarantee against defects in materials and craftsmanship under normal use, R&R Reels deliver unmatched durability and cutting precision you can trust.:*

## R&R Bedknives, Lifetime Guaranteed

|   |          |                     |                          |   |  |
|---|----------|---------------------|--------------------------|---|--|
| 2 | RET17767 | ET17767,<br>UC23562 | Bedknife - High Cut 5/16 | 1 |  |
|---|----------|---------------------|--------------------------|---|--|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 2700 E-Cut Riding Greens Mower Parts

Cutting Unit  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |                 |                     |                             |   |  |
|---|-----------------|---------------------|-----------------------------|---|--|
| 2 | <b>RET17532</b> | ET11066,<br>ET17532 | Bedknife - Fairway .189 Min | 1 |  |
|---|-----------------|---------------------|-----------------------------|---|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |                 |                                                                   |                                         |   |  |
|---|-----------------|-------------------------------------------------------------------|-----------------------------------------|---|--|
| 2 | <b>RET17533</b> | ET14402,<br>ET17533,<br>ET17767,<br>MT4869,<br>MT7351,<br>UC18873 | Bedknife - 22in Standard- .126 Min. HOC | 1 |  |
|---|-----------------|-------------------------------------------------------------------|-----------------------------------------|---|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |                 |         |                                         |   |  |
|---|-----------------|---------|-----------------------------------------|---|--|
| 2 | <b>RET17534</b> | ET17534 | Bedknife - 22in Tournament-.098 Min HOC | 1 |  |
|---|-----------------|---------|-----------------------------------------|---|--|

*Detail Description: R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:*

|   |                |                                            |                                      |   |  |
|---|----------------|--------------------------------------------|--------------------------------------|---|--|
| 2 | <b>RMT7351</b> | ET17489,<br>MT7351,<br>UC19154,<br>UC28163 | Bedknife - 22in Lo-Cut .079 Min. HOC | 1 |  |
|---|----------------|--------------------------------------------|--------------------------------------|---|--|

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 2700 E-Cut Riding Greens Mower Parts

Cutting Unit  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

*Detail Description:* R&R Bedknives are manufactured from high carbon-boron alloy steel and then hardened to RC46-49 to match the temper of our reel blades and original equipment reels. Bedknives are surface ground on the top and front edge and straightened three times before being packaged with oil for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part.:

## R&R Razor Tool Steel Bedknives, Lifetime Guaranteed

|   |                |  |                                           |   |
|---|----------------|--|-------------------------------------------|---|
| 2 | <b>R130130</b> |  | Bedknife - Razor Tool Steel - 22 High Cut | 1 |
|---|----------------|--|-------------------------------------------|---|

*Detail Description:* R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:

|   |                |  |                                            |   |
|---|----------------|--|--------------------------------------------|---|
| 2 | <b>R130115</b> |  | Bedknife - Razor Tool Steel - 22 Micro Cut | 1 |
|---|----------------|--|--------------------------------------------|---|

*Detail Description:* R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:

|   |                |                    |                                                 |   |
|---|----------------|--------------------|-------------------------------------------------|---|
| 2 | <b>R130116</b> | MT4846,<br>UC18877 | Bedknife - Razor Tool Steel - 22 Tournament Cut | 1 |
|---|----------------|--------------------|-------------------------------------------------|---|

*Detail Description:* R&R Razor bedknives are manufactured from premium alloy tool steel steel and then hardened to RC48-51 to match the temper of our Razor reel blades and original equipment premium series reels. Bedknives are surface ground on the top and front edge and specially packaged for rust prevention. All R&R Bedknives now have an increased front edge grind for added life. All R&R Bedknives are guaranteed against defects in material and workmanship under normal use for the life of the part. You can expect up to double the life over standard bedknives.:

|   |                 |          |                                           |   |
|---|-----------------|----------|-------------------------------------------|---|
| 2 | <b>RTC36165</b> | TCU36165 | Bed Knife - Razor Tool Steel 22 - Low Cut | 1 |
|---|-----------------|----------|-------------------------------------------|---|

## Service Tools

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 2700 E-Cut Riding Greens Mower Parts

Cutting Unit  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity |
|---------|--------------|--------------|-------------|---------|----------------|
|---------|--------------|--------------|-------------|---------|----------------|

|   |                 |  |                            |   |  |
|---|-----------------|--|----------------------------|---|--|
| 3 | <b>R101278T</b> |  | Bedknife Screw Driver Tool | 0 |  |
|---|-----------------|--|----------------------------|---|--|

*Tech Note: Easily install and remove bed knife screws with the help of a ratchet. Tool manufactured with hardened alloy steel.:*

*Detail Description: Easily install and remove bed knife screws with the help of a ratchet. Tool manufactured with hardened alloy steel.:*

## Other Parts Available

|                                                                                         |                 |                       |                                      |   |  |
|-----------------------------------------------------------------------------------------|-----------------|-----------------------|--------------------------------------|---|--|
| 10                                                                                      | <b>RTC26729</b> | TCU26729              | Tube                                 | 1 |  |
| 11                                                                                      | <b>RUC13425</b> | UC13425               | Rod - Hardened                       | 1 |  |
| 12                                                                                      | <b>R254-79</b>  | JD8226                | Cup - Bearing                        | 2 |  |
| <i>Detail Description: Use R254-79M installation mandrel to properly install race.:</i> |                 |                       |                                      |   |  |
| 13                                                                                      | <b>R254-78</b>  | JD8188                | Tapered Bearing Cone                 | 2 |  |
| 14                                                                                      | <b>RET14566</b> | ET14566               | Seal - Reel                          | 2 |  |
| 15                                                                                      | <b>RTC23880</b> | TCU23880,<br>TCU28964 | Compression Spring - Reel<br>Bearing | 1 |  |
| 16                                                                                      | <b>R40M7226</b> | 40M1862,<br>40M7226   | Ring - Retaining                     | 2 |  |
| 18                                                                                      | <b>RMT74</b>    | MT74                  | Bushing - Roller Bkt                 | 2 |  |
| 19                                                                                      | <b>RTC28635</b> | TCU24555,<br>TCU28635 | Eccentric                            | 2 |  |
| 20                                                                                      | <b>RTC25223</b> | TCU25223,<br>TCU30798 | Spherical Rod End                    | 2 |  |
| 21                                                                                      | <b>RTC24954</b> | TCU24954              | Compression Spring                   | 2 |  |
| 22                                                                                      | <b>RTC25394</b> | TCU25394,<br>TCU27453 | Base                                 | 2 |  |
| 23                                                                                      | <b>RTC25398</b> | TCU25398              | Compression Spring                   | 1 |  |
| 24                                                                                      | <b>RTC24334</b> | TCU24334              | Retainer                             | 2 |  |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 2700 E-Cut Riding Greens Mower Parts

Cutting Unit  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No.                 | Description                               | Qty Req | Order Quantity |
|---------|--------------|------------------------------|-------------------------------------------|---------|----------------|
| 28      | RMT3016      | MT3016                       | Bolt - Bed Bar                            | 2       |                |
| 29      | RN168012     | N168012                      | Washer - Spring                           | 4       |                |
| 30      | RH137328     | H137328                      | Locknut                                   | 5       |                |
| 31      | R14M7152     | 14M7152                      | Nut - 10mm x 1.5 Jam                      | 2       |                |
| 32      | RET16679     | ET16679                      | Washer - Spring                           | 8       |                |
| 33      | R14M7517     | 14M7517                      | Locknut - 10mm x 1.5 ESNA                 | 2       |                |
| 34      | R03M7191     | 03M7191                      | Bolt - Carriage M10 x 25                  | 4       |                |
| 35      | R03M7194     | 03M7194                      | Bolt                                      | 2       |                |
| 37      | R170714      | E14814                       | Fitting - Pressure Relief                 | 2       |                |
| 38      | R302-5       | JD7797,<br>JD7842,<br>JD7844 | Fitting - Grease                          | 2       |                |
| 39      | R14M7151     | 14M7151                      | Nut - Jam Roller Adj                      | 2       |                |
| 40      | R101278      | 21M7194                      | Screw - Bedknife                          | 13      |                |
| 41      | RMT6517      | MT6517                       | Label - Warning                           | 1       |                |
| 42      | RAUC13891    | AUC13891,<br>TCA18291        | Frame                                     | 1       |                |
| 43      | R19M7168     | 19M7168                      | Bolt - M10-1.5 x 30 mm Hex Head Class 8.8 | 2       |                |
| 44      | RR30587      | 30587,<br>R30587             | Pin - Dowell 1/4 Dia. x .75               | 4       |                |
| 45      | RUC27760     | UC27760                      | Wear Plate                                | 1       |                |
| 46      | RUC27761     | UC27761                      | Wear Plate                                | 1       |                |
| 47      | RUC11904     | UC11904                      | Bracket                                   | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 2700 E-Cut Riding Greens Mower Parts

Cutting Unit  
Reel & Bedknife



| Item No | R&R Part No. | OEM Part No.          | Description                                      | Qty Req | Order Quantity |
|---------|--------------|-----------------------|--------------------------------------------------|---------|----------------|
| 48      | R03M7186     | 03M7186               | Bolt - Carriage 8-1.25 x 30mm                    | 2       |                |
| 49      | R14M7396     | 14M7396               | Locknut - Flanged Nyloc                          | 2       |                |
| 50      | RUC18211     | TCU24461,<br>UC18211  | Bracket - LH                                     | 1       |                |
| 51      | RUC16109     | TCU24461,<br>UC16109  | Bracket - RH                                     | 1       |                |
| 52      | R33114-016   | 19M7162               | Bolt - Hx HD 8mm x 1.25 x 15                     | 2       |                |
| 53      | R14M7465     | 14M7465               | Lock Nut - M10-1.50 Fl                           | 2       |                |
| 54      | RR316945     | R316945               | Bushing                                          | 2       |                |
| 55      | RTC40491     | TCU24683,<br>TCU40491 | Worm Gear                                        | 2       |                |
| 56      | RTC26458     | TCU26458              | Worm Gear                                        | 2       |                |
| 57      | RUC16137     | TCU24955,<br>UC16137  | Adjuster                                         | 2       |                |
| 58      | RUC16108     | TCU24460,<br>UC16108  | Bracket                                          | 2       |                |
| 59      | R19M7866     | 19M7866               | Bolt - Flanged Hex M8-1.25 x 20                  | 2       |                |
| 60      | RAUC13512    | AUC13512,<br>TCA18706 | Adjuster                                         | 2       |                |
| 61      | RM148268     | M148268               | Lock Nut                                         | 2       |                |
| 62      | RUC16102     | TCU24949,<br>UC16102  | Cap                                              | 2       |                |
| 63      | RMT2624      | MT2624                | Knife - Greens Conditioner                       | 38      |                |
| 64      | RET14707     | ET14707               | Verti-Cut Blade - .025 x 2.375                   | 64      |                |
| 64      | RET14707C    |                       | Verti-Cut Blade - .025 x 2.375<br>Carbide Tipped | 64      |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.



# Replaces John Deere 2700 E-Cut Riding Greens Mower Parts

*Cutting Unit  
Reel & Bedknife*



| Item No | R&R Part No.    | OEM Part No.          | Description | Qty Req | Order Quantity |
|---------|-----------------|-----------------------|-------------|---------|----------------|
| 65      | <b>RTC35637</b> | TCU24427,<br>TCU35637 | Panel - LH  | 1       |                |
| 66      | <b>RTC35638</b> | TCU24426,<br>TCU35638 | Panel - RH  | 1       |                |
| 68      | <b>RUC22218</b> | UC22218               | Half Clamp  | 2       |                |

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.