


Replaces John Deere 1570 Rotary Mower Parts




60, 62 or 72in Rotary Mower 60in Deck Parts



| R | & R ducts | Mower | 2in Rotary Mower | | | | | |
|-----------------------|-----------------|----------------------|--|------------|-------------------|--|--|--|
| | R&R Part No. | OEM Part No. | Description | Qty Req | Order Quantity | | | |
| | Blades | | | | | | | |
| 1 | RM168223 | M168223 | Rotary Blade - 21" | 3 | | | | |
| Belts | | | | | | | | |
| 20 | RTCU32986 | TCU32986 | Belt - V - 60 in Deck | 1 | | | | |
| Other Parts Available | | | | | | | | |
| 40 | RTCU34060 | TCU34060 | Roller - 5 1/2 x 3 | 3 | | | | |
| 41 | RTCU18744 | TCU18744, UC28193 | Wheel - 5 in x 2 3/4 | 2 | | | | |
| 43 | RAM125172 | AM125172 | Wheel Kit - Gage Wheel | 2 | | | | |
| 44 | RM111490 | M111490 | Bushing - Concave | 1 | | | | |
| 45 | R19M10348 | 19M10348 | Bolt- M10 x 200 w/Washer | 1 | | | | |
| 46 | RTCU19299 | TCU19299 | Axle Bushing | 2 | | | | |
| 47 | R03M7268 | 03M7268 | Bolt - M8 x 120 Carriage 8.8 | 2 | | | | |
| 48 | RM132309 | M132309 | Spacer | 2 | | | | |
| 49 | RTCU39458 | TCU39458 | Plate - Spindle Mount Reinforcement | 9 | | | | |
| 74 | R14M7401 | 14M7401 | Locknut - 12mm x 1.75 | 2 | | | | |
| 75 | R19M7944 | 19M7944 | Bolt - M10-1.5 x 120 Hx HD Fl Cl 10.9 | 4 | | | | |
| 76 | RTCU28739 | TCU28739 | Axle | 1 | | | | |
| 78 | R14M7465 | 14M7465 | Lock Nut - M10-1.50 Fl | 10 | | | | |
| 79 | RAM129501 | AM129501 | Arm | 1 | | | | |
| 80 | RTCA24881 | TCA24881 | Spindle - Includes RM134305; Sub For TCA51058; Housing Assembly | 3 | | | | |
| 81 | R471217 | JD7803 | Fitting - Grease | 4 | | | | |

| Repro | & R ducts | Mower 60, 62 or 7 60in Deck | 2in Rotary Mower | |
|-------|-----------------|--|---|---|
| | R&R Part No. | OEM Part No. | Description | Qty Order Req Quantity |
| 82 | RM123569 | M123569 | Flange Nut | 3 |
| 83 | RTCU38142 | TCU14182, TCU38142 | Hub - Sub For TCU51119 or TCU14182 | 3 |
| 84 | RTCU51223 | TCU51223 | Deflector - Grass | 3 |
| 85 | R19M7868 | 19M7868 | Bolt - M8-1.25 x 30 HHF | 18 |
| 86 | RM88251 | M169375, M88251 | Bearing - Spindle | 6 |
| 87 | RM127198 | M127198 | Seal | 3 |
| 88 | RM163060 | M133398, M163060 | Washer - Replaces RM133398 | 3 |
| 89 | RM134382 | M134382 | Spindle - 25 mm w/M12-1.75 Blade Bolt Thrd | 3 |
| 89 | RM163059 | M163059 | Spindle - 25 mm w/M16-2.0 Blade Bolt Thrd | 3 |
| 90 | R253-133 | M85699 | Seal - Oil | 3 |
| | Tech Note: F | OR SPINDLE A | SSEMBLY O.E.M TCA25356 (QTY.6): | |
| 91 | R14M7396 | 14M7396 | Locknut - Flanged Nyloc | 30 |
| 91 | R14M7298 | 14M7298 | Nut - 8mm x 1.25 Flanged | 30 |
| | Tech Note: F | OR SPINDLE A | SSEMBLY O.E.M TCA25356: | |
| 92 | RTCA17524 | TCA17524 | Idler Pulley - 5 in Flat Dia with .75 in Brg ID | 1 |
| 93 | RM163058 | M127517, M163058 | Bushing - Sub For M127517 | 3 |
| 94 | RM163053 | M134305, M163053 | Grass Deflector - Spindle | 3 |
| 95 | RM123522 | M123522 | Washer - Belleville - Blade Bolt | 3 |
| 97 | R19M7489 | 19M7489 | Bolt Hex HD - M16 x 45 Gr 10.9 | 3 |
| | | | | |

Replaces John Deere 1570 Rotary



1

Eyebolt - Includes Flanged Locknut

101 RM141764

M141764