




Floating Head Cutting Unit Front Rollers







Floating Head Cutting Unit Front Rollers

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity		
R&R I	Front Rollers						
1	R158776	158776, 162917	Roller - Smooth Tubular Steel	1			
	Detail Description: Constructed with a through shaft and greasable ball bearings.:						
2	R52-3120		Roller - Smooth Tubular Steel	1			
	Detail Description: Constructed with "water-pump" style bearings.:						
3	R101126		Roller - Smooth Solid Steel	1			
	Detail Description: Machined from solid steel, this heavy weight roller uses greasable "water-pump" style bearings.:						
4	R101336		Roller - Smooth UHMW Polyethylene	1			
	Detail Description: Machined from solid UHMW, this low maintenance roller uses a 1" solid stainless steel shaft and requires no grease. UHMW material prevents build-up of debris.:						
5	R68527R		Roller - Grooved Repairable Steel	1			
	Detail Description: Constructed with a through shaft and greasable ball bearings, this roller can be repaired by unscrewing the ends and replacing the series of washers and spacers.:						
6	R101123		Roller - Grooved Machined Solid Aluminum	1			
	Detail Description: Machined from solid aluminum, this lightweight roller uses greasable "water-pump" style bearings.:						
7	R68577	68577	Roller - Grooved Machined Solid Steel	1			
	Detail Description: Machined from solid steel, this heavyweight roller uses greasable "water-pump" style bearings.:						
8	R101330		Roller - Grooved UHMW Polyethylene	1			

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.





Floating Head Cutting Unit Front Rollers

	R&R Part No.	OEM Part No.	Description	Qty Req	Order Quantity			
	Detail Description: Machined from solid UHMW, this low maintenance roller rotates around a 1" solid stainless steel shaft and requires no bearings or grease. Patented groove design and smooth UHMW material prevents build-up of debris.:							
9	R101122		Roller - Swaged Machined Aluminum	1				
	Detail Description: Constructed with "water-pump" style bearings, this steel tubular roller contacts the ground only on the outer 2-7/8" of the roller.:							
Overl	haul Kits							
20	R100130	100130	Overhaul Kit - Roller	0				
	Detail Description: Includes 2 ea.: R302-5 Grease Fittings, R303558 Bearings, & R305115 Seals:							
21	R101395	100139, 101395	Overhaul Kit - UHMW Roller	0				
Otho	Detail Description: Fits all R&R 2" Dia. Black UHMW Polyethylene Rollers. Includes 10 ea.: R150322 Roll Pins; 2 ea.: R3296-15 Locknuts, R150347T Teflon Seals, R150333 Thrust Washers, & R150334A Bronze Thrust Washers:							
	r Parts Available R102030	102030	Shaft - Front Roller	1				
31	R302-5	302-5, 471214, 471223, 471226	Fitting - Grease	2				
32	R101481	101481, 311839	Bearing - Roller	2				
	Detail Description: Fits R&R Machined Grooved Roller & Smooth (19 lbs) Roller:							
33	R150650		Roller End - 2 Repairable	2				
34	R150651		Spacer - 2-3/8 Roller	34				
35	R150652	150652, 325262	Washer - 2 Roller	33				

All original equipment manufacturers names and part numbers are used for identification purposes only, and we are in no way implying that our products are original equipment parts. Prices subject to change without notice.





Floating Head Cutting Unit Front Rollers

Item R&R No Part N o	OEM Part No.	Description	Qty Req	Order Quantity
36 R15069	150690, 415509	Screw - Set 1/4-20 x 1/4	4	
39 R30355	8 303558	Bearing - Roller	2	
40 R30511	5 305115	Seal - Roller	2	
42 R21-84 :	60	Bearing - Roller	2	
43 R15034	7T	Seal - Nonstick Lip	2	
44 R15033	4A	Washer - Thrust SAE660 Bronze	2	
45 R15033	3	Washer - Flat Keyed Outer SS	2	
46 R3296-	3296-15, 367029, 444742	Locknut - 3/4-16 Nylon Jam	2	